

CYPRÆA FRAGILIS

ET

CYPRÆA ARABICA.



CHARACTER GENERICUS.

Animal Limax.

Testa univalvis, involuta, subovata, obtusa,
levis.

Apertura utrinque effusa, linearis, utrinque den-
tata, longitudinalis.

Lin. Syst. Nat. p. 1172.

CHARACTER SPECIFICUS, &c.

CYPRÆA FRAGILIS. C. testa turbinata ovata
glauca, testaceo-undata subfasciata.

Lin. Syst. Nat. p. 1175.

Mus. Lud. Ulric. 570. n. 188.

Gualt. test. t. 16. f. q.

Habitat in mari mediterraneo.

CHARACTER SPECIFICUS, &c.

CYPRÆA ARABICA. C. testa subturbinata
characteribus inscripta, macula longitudi-
nali simplici.

Lin. Syst. Nat. p. 1173.

Percellana literata s. ARABICA.

Rumph. mus. t. 38. f. M.

List. Conch. t. 658. f. 3 ?

Gualt. test. t. 16. f. v.

Habitat in mari Indico.





THE
BRITTLE COWRY
AND
ARABIAN COWRY.



GENERIC CHARACTER.

Animal resembling a Limax or Slug.

Shell univalve, involute, obtuse, ovate.

Aperture linear, longitudinal, toothed on both sides.

SPECIFIC CHARACTER, &c.

BRITTLE COWRY. Glauous-brown Cowry
with yellowish-brown bands and streaks.

Knorr. vergn. 5. t. 18. f. 2.

Native of the Mediterranean sea.

SPECIFIC CHARACTER, &c.

ARABIAN COWRY. Subturbinated Cowry
with characteriform variegations and violet-
coloured mouth.

List. Conch. t. 658. f. 3.

Native of the Indian seas.